



Welcome to Journal of Theoretical and Applied Information Technology

[Home](#)

Journal of Theoretical and Applied Information Technology

January 2014 | Vol. 59 No. 2

[Volumes](#)
[Submit Paper](#)
[Manuscript Status](#)
[Author Guidelines](#)
[Editorial Board](#)
[Indexing and Abstracting](#)
[Subscribe to JATIT](#)
[Contact Us](#)

Frequency : **MONTHLY**

[Submit Paper / Call for Papers](#)

Journal receives papers in continuous flow and we will consider articles from a wide range of Information Technology disciplines encompassing the most basic research to the most innovative technologies. Please submit your papers electronically to our submission system at http://jatit.org/submit_paper.php in an MSWord, Pdf or compatible format so that they may be evaluated for publication in the upcoming issue. This journal uses a blinded review process; please remember to include all your personal identifiable information in the manuscript before submitting it for review, we will edit the necessary information at our side. Submissions to JATIT should be full research / review papers (properly indicated below main title).

Title:	A NOVEL APPROACH TO GENERATE TEST CASES FOR COMPOSITION & SELECTION OF WEB SERVICES BASED ON MUTATION TESTING
Author:	ASHOK KUMAR. P.S, KAARTHICK .B, GOPAL KRISHNA. C
Abstract:	Now a day's Web Service has become a significant part of the web. The importance of Web Services is to support interoperable and Application to Application interaction over a network with proper URI, so that Web Services provide high value to online business transactions. Testing (Verification & Validation) is a critical activity in software product design. Rigorous software testing is not possible so different software testing techniques are invoked before releasing the product. Based on Prim's algorithm we created all possible test cases from directed weighted graph. Mutation testing is a structural testing method; it generates software tests and evaluating the quality of software testing by fault insertion in original code. A case study has been presented here in order to create the efficacy of our test approach in mutation analysis.
Keywords:	Mutants, web service, testing, URI, SRS
Source:	Journal of Theoretical and Applied Information Technology January 2014 -- Vol. 59. No. 2 -- 2014

[Full Text](#)

Title:	TOWARDS A NEW ALGORITHM MORE EFFICIENT FOR UPDATING FIREWALL POLICIES
Author:	A. KARTIT, Z. KARTIT, M. EL MARRAKI
Abstract:	Firewall is one of the most widely utilized component on any network architecture, since that a deployment is a very important step to turn the initial policy to a target policy. This policy requires automated tools in order to create a suitable environment for configuring or deploying safely a policy target. Most researchers are interested in detection of conflicts or the problem of optimization of policies firewall while few of them have proposed deployment strategies for two important types of edition policies. We have already proposed a correct algorithm for the deployment type I [0]. In this work we study one of these strategies that falls within the type II edition policies. We show that the proposed solution of type II edition [1] is not fully correct and lead to security vulnerabilities, and then we offer a few corrections and improvements for this type of editing.
Keywords:	Security Policy (SP), Firewall Policy Management (FPM), Security Vulnerabilities (SV), Network Security (NS)
Source:	Journal of Theoretical and Applied Information Technology January 2014 -- Vol. 59. No. 2 -- 2014

[Full Text](#)

Title:	A MULTI-ASPECT RULE BASED MODEL FOR WEB SERVICES OFFLINE COMPOSABILITY
Author:	HAJAR OMRANA, FATIMA ZAHRA BELOUADHA, OUNSA ROUDIES
Abstract:	Composition is still one of the most challenging key design goals of Web services technology. While they are designed to be aggregated and work with each other, most of existing Web services are developed independently and uses different standards. Detecting all the incompatibilities of Web services composability before processing the composition would increase the efficiency and correctness of this latter considerably. In this direction, we propose a multi-aspect Web services composability model, aligned with WSDL 2.0, SAWSDL and WS-Policy 1.5 standards, which addresses a set of functional, non-functional, contextual, data structure and technical composability rules to check whether to or more web services operations can concretely interact with each other.
Keywords:	Web Services Composability , Dynamic Composition, WSDL 2.0, SAWSDL, WS-Policy
Source:	Journal of Theoretical and Applied Information Technology January 2014 -- Vol. 59. No. 2 -- 2014

Title:	CORRECTION POSITION OF COORDINATES FROM DATA GPS LOGGER IN GOOGLE MAPS BY USING LAGRANGE INTERPOLATION METHOD
Author:	NGAKAN MADE SATRYA WIBAWA, I MADE SUKARSA, I KETUT ADI PURNAWAN
Abstract:	Development of navigation technologies increase rapidly. People need a GPS to indicate a location or street. The accuracy of the GPS position is often less precise. This problem is used as a discussion of issues in the design of GIS to fix the GPS coordinates to the coordinates of the path using interpolation polinom lagrange method. This study uses PL/SQL to MySQL engine to perform the calculations haversine formula and interpolation polinom lagrange. Coordinates improvements value obtained from the results of these calculations.
Keywords:	GPS, GIS, PL/SQL, Correction Coordinate, Interpolation Polinom Lagrange
Source:	Journal of Theoretical and Applied Information Technology January 2014 -- Vol. 59. No. 2 -- 2014

Title:	COMPARATIVE STUDY OF DATA MINING MODEL FOR CREDIT CARD APPLICATION SCORING IN BANK
Author:	EVARISTUS DEDIK MADYATMADJA, MEDIANA ARYUNI
Abstract:	The growth of credit card application needs to be balanced with the anticipation of bad credit risk because it does not use security collateral as warranty. The usage of credit scoring can be used to help the credit risk analysis in determining the applicant's eligibility. Data mining has been proven as a valuable tool for credit scoring. The aim of this research is to design a data mining model for credit scoring in bank in order to support and improve the performance of the credit analyst job. The proposed model applies classification using Naïve Bayes and ID3 algorithm. The accuracy of Naïve Bayes classifier is 82% and ID3 is 76%. So we can conclude that Naïve Bayes classifier has better accuracy than ID3 classifier.
Keywords:	Credit Scoring, Data Mining, Credit Card, Bank, Naïve Bayes, ID3, Classification
Source:	Journal of Theoretical and Applied Information Technology January 2014 -- Vol. 59. No. 2 -- 2014

Title:	MULTI-LEVEL TRUST ARCHITECTURE FOR MOBILE ADHOC NETWORKS BASED ON CONTEXT-AWARE
Author:	A.RAJESH, DR. N. MOHAN KUMAR
Abstract:	Mobile ad hoc networks (MANETs) are not favorable to centralized trust architecture and literature review provides several security framework and solutions for trust management. However, there is no unified architecture for MANET to exploit deployed security models based on trust. This study presents compelling trust architecture in which a trust based security model is superimposed with three trust models such as a low-level trust model, a medium-level trust model, and a high-level trust model based on context-aware security. The low-level trust model meets the necessary security requirements using direct observations. The medium-level trust model ensures medium security level using direct observations and recommendation messages. The high-level trust model provides a highly secured system with high complexity and computational cost. The proposed work is formulated based on the application context to determine the trust-level in geographic routing protocol. The proposed trust is fully distributed and application context dependent and dynamic in nature. The proposed multi-level trust model is integrated with Position based Opportunistic Routing (POR) Protocol that selects the trusted next hop in the routing path. The correctness of the proposed scheme is analyzed using network simulator (NS-2). Proposed work increases packet deliver ratio and throughput significantly.
Keywords:	Mobile Ad Hoc Networks, Geographical Routing, Trust Management, Context-aware Trust, Trust based Security
Source:	Journal of Theoretical and Applied Information Technology January 2014 -- Vol. 59. No. 2 -- 2014

Title:	INVESTIGATION OF SUPPORT VECTOR MACHINE CLASSIFIER FOR OPINION MINING
Author:	K.SARASWATHI, Dr. A.TAMILARASI

	sensor networks. We emphasize the main motivation behind the development of each routing protocol category and clarify the operation of different protocols in detail related to energy issues, with emphasis on their advantages and disadvantages. Moreover, the current multipath routing approach is broadly used in wireless sensor networks in order to improve network performance such as load balancing, reliability, fault tolerance, bandwidth aggregation and QoS Improvement. Therefore, in this paper we highlight the notion of the multipath routing approach and its essential challenges, additionally the basic motivations for utilizing this technique in wireless sensor networks. In addition, we contrast and review the state-of-the-art multipath routing protocols that based on energy aware method, fault tolerance and QoS multipath routing. At the end of this paper, a characterized comparison has been forwarded on these methods based on the analysis outcome.
Keywords:	Wireless Sensor Networks, Routing Protocols, Energy Efficiency, Fault Tolerance, Qos, Multipath Routing
Source:	Journal of Theoretical and Applied Information Technology January 2014 -- Vol. 59. No. 2 -- 2014

[Full Text](#)

Title:	A STUDY OF TSUNAMI MODEL FOR PROPAGATION OF OCEANIC WAVES
Author:	E.SYED MOHAMED, S.RAJASEKARAN
Abstract:	The enormous destruction of tsunami and the increased risk of their frequent occurrences enhance the need for the use of more sturdy and accurate models that predict the spread of catastrophic oceanic waves accurately. This paper tries to study this phenomenon that shows a considerable amount of uncertainty. To model the spread of tsunami waves, the initial wave can be considered as a continuous two dimensional closed curve. Each point in its parametric representation on the curve will act as a point source which expands as a small ellipse. The parameters of each ellipse depend on many factors such as the energy focusing effect, travel path of the waves, coastal configuration, offshore bathymetry and the time step. Using Huygens's wavelet principle, the envelope of these ellipses describes the new perimeter. Further, overlapping and traversing of the wave front are detached and efficiently clipped out
Keywords:	Huygens's Wavelet, Tsunami Propagation, Simulation, Curvature, Convex
Source:	Journal of Theoretical and Applied Information Technology January 2014 -- Vol. 59. No. 2 -- 2014

[Full Text](#)

Title:	FAST AND SECURE HANDOVER AUTHENTICATION SCHEME IN MOBILE WiMAX
Author:	H. F. ZMEZM, S.J. HASHIM, ADUWATI SALI
Abstract:	Handover is one of the essential elements that can affect the Quality of Service (QoS) and capacity of Mobile Broadband Networks. The next generation of broadband wireless networks including the IEEE802.16e standard, allow users to roam seamlessly and securely over the network. Unfortunately the current design suffers from lengthy delay between breaking of previous connection and making of next connection. This delay might not be tolerated by some of the real-time applications such as VoIP and video streaming. Therefore the need for fast and secure handover design becomes an urging necessity. This paper proposes a new handover mechanism enables fast and secure handover with minimum delay suitable for real-time applications. It should be pointed that this proposed handover protocol guarantees a forward and backward secrecy. We conducted our research using ns-2 simulation tool.
Keywords:	EAP-Authentication, Hard Handover, Mobile WiMAX, NS-2
Source:	Journal of Theoretical and Applied Information Technology January 2014 -- Vol. 59. No. 2 -- 2014

[Full Text](#)



Welcome to Journal of Theoretical and Applied Information Technology

Home

Volumes

Submit Paper

Manuscript Status

Author Guidelines

Editorial Board

Indexing and Abstracting

Subscribe to JATIT

Contact Us

Frequency : Monthly

Editorial Board

PATRON

Prof. (R) NIAZ AHMAD
FCE, MOE, Islamabad, PAKISTAN

EDITOR IN CHIEF

Dr. SHAHBAZ GHAYYUR
Department of Computer Sciecne and Software Engineering,
Internaitonal Islamic University Islamabad, PAKISTAN

EDITORIAL BOARD

Dr. CHRISTOS GRECOS
School of Computing, Engineering and Physical Sciences, University
of Central Lancashire, Preston PR1 2E, UNITED KINGDOM.

Dr. YUXIN MAO
School Of Computer & Information Engineering Zhejiang Gongshang
University, CHINA.

Dr. MUHAMMAD SHER
Faculty of Basic and Applied Sciences, Department of Computer
Science, International Islamic University, Islamabad. PAKISTAN.

Dr. ZARINA SHUKUR
Computer Science Dept., Fakulti Teknologi dan Sains Maklumat,
University Kebangsaan Malaysia, 43600 Bangi, MALAYSIA.

Dr. NOR AZAN MAT ZIN
Department of Information Science, Faculty of Information Science &
Technology, National University of Malaysia (UKM) 43600 UKM
BANGI, MALAYSIA.

Dr. KHAIRUDDIN BIN OMAR
Faculty of Information Science and Technology, Universiti
Kebangsaan Malaysia, 43600 Bangi Selangor Darul-Ehsan, MALYSIA.

Dr. TENGKU MOHD. BIN TENGKU SEMBOK
Faculty of Information Science and Technology Universiti
Kebangsaan, Malaysia, 43600 Bangi Selangor Darul-Ehsan, MALYSIA.

Dr. R. PONALAGUSAMY
Department of Mathematics, National Institute of Technology,
Tiruchirappalli, Tamil Nadu, INDIA.

Dr. NITIN UPADHYAY
Computer Science & Information Systems Group, Birla Institute of
Technology and Science (BITS), Pilani-Goa Campus, NH-17B Bypass
Road, ZuariNagar, Goa, INDIA.

Dr. A. SERMET ANAGN
Eskisehir Osmangazi University, Industrial Engineering Department,
Bademlik Campus, 26030 Eskisehir, TURKEY.

Submit Paper / Call for Papers

Journal receives papers in continuous flow and we will consider articles from a wide range of Information Technology disciplines encompassing the most basic research to the most innovative technologies. Please submit your papers electronically to our submission system at http://jatit.org/submit_paper.php in an MSWord, Pdf or compatible format so that they may be evaluated for publication in the upcoming issue. This journal uses a blinded review process; please remember to include all your personal identifiable information in the manuscript before submitting it for review, we will edit the necessary information at our side. Submissions to JATIT should be full research / review papers (properly indicated below main title in case of review paper).

Dr. YACINE LAFIFI
Department of Computer Science, University of Guelma, BP 401,
Guelma 24000, ALGERIA.

Dr. JAYANTHI RANJAN
Institute of Management Technology, Raj Nagar, Ghaziabad, Uttar
Pradesh, INDIA.

Dr. ADEL M. ALIM
National Engineering School of Sfax (ENIS), University of SFAX,
TUNISIA.

Dr. SIKANDAR HAYAT KHIYAL
Faculty of Computer Sciences, Preston University, Islamabad,
PAKISTAN.

Dr. ADEL MERABET
Department of Electrical & Computer Engineering, Dalhousie
University, Halifax, CANADA.

DR. HEMRAJ SAINI
CE&IT Department, Higher Institute of Electronics, Bani Walid. LIBYA.

Dr. MAUMITA BHATTACHARYA
SOBIT, Charles Sturt University, Albury - 2640, NSW, AUSTRALIA.

Dr. SEIFEDINE KADRY
Lebanese International University, LEBONON.

Dr. AIJUAN DONG
Department of Computer Science, Hood College Frederick, MD
21701. USA.

Dr. S.S.RIAZ AHAMED
Mohamed Sathak Engineering College, Kilakarai, & Sathak Institute
of Technology, Ramanathapuram , Tamilnadu, INDIA.

Dr. ZURIATI AHMAD ZUKARNAIN
University Putra Malaysia, MALAYSIA.

Dr. CHELLALI BENACHAIBA
University of Bechar, ALGERIA.

Dr. MOHD NAZRI ISMAIL
University of Kuala Lumpur (UniKL) MALYSIA.

Dr. VITUS SAI WA LAM
The University of Hong Kong, CHINA

Dr. WITCHA CHIMPHLEE
Suan Dusit Rajabhat University, Bangkok, THAILAND.

Dr. SIDDHIVINAYAK KULKARNI
University of Ballarat, Ballarat, AUSTRALIA.

Dr. S. KARTHIKEYAN
Caledonian College of Engineering, OMAN.

Dr. DRAGAN R. MILIVOJEVIĆ
Mining and Metallurgy Institute Bor Zeleni bulevar 35, 19210 Bor,
SERBIA.

Dr. ABDUL AZIZ
Professor of Computer Science, University of Central Punjab,

PAKISTAN.

Dr.P.DANANJAYAN
Professor, Department of ECE, PEC, Puducherry, INDIA.

Dr. E. SREENIVASA REDDY
Principal - Vasireddy Venkatadri Institute of Technology, Guntur, A.P.,
INDIA.

Dr. SANTOSH DHONDOPANT KHAMITKAR
Ramanand Teerth Marathwada University, Nanded. Maharashtra
431605, INDIA.

Dr. M. IQBAL SARIPAN
(MIEEE, MInstP, Member IAENG, GradBEM)
Dept. of Computer and Communication Systems Engineering, Faculty
of Engineering, Universiti Putra MALAYSIA.

Dr. E. SREENIVASA REDDY
Principal - Vasireddy Venkatadri Institute of Technology, Guntur, A.P.,
INDIA.

Dr. SHAHBAZ GHAYYUR
Department of Computer Sciece and Software Engineering,
Internaitonal Islamic University Islamabad, PAKISTAN.

Dr. T.C.MANJUNATH,
Professor & Head of the Dept.,Electronicis & Communication Engg.
Dept, New Horizon College of Engg.,Bangalore-560087, Karnataka,
INDIA.

Dr. NACEER EDDINE ZAROOUR
LIRE Laboratory, Computer Science Departement, University
Mentouri of Constantine (UMC), ALGERIA.

Dr. RIKTESH SRIVASTAVA
Assistant Professor, Information Systems, Skyline University P O Box
1797, Sharjah, UAE.

Dr. Mohd Zainal Abidin Ab Kadir,
Centre of Excellence on Lightning Protection (CELP), Dept. of
Electrical and Electronics Engineering, Faculty of Engineering, UPM,
Selangor, MALAYSIA.

Dr. Ousmane THIARE
Gaston Berger University, Department of Computer Science, UFR
S.A.T, BP 234 Saint-Louis, SENEGAL.

Dr. SIDDHIVINAYAK KULKARNI
Graduate School of Information Technology and Mathematics
University of Ballart AUSTRALIA.

Dr. BONNY BANERJEE
Senior Scientist Audigence, FL, USA, The Ohio State University,
Columbus, OH, USA.

Dr. NICKOLAS S. SAPIDIS
Department of Mechanical Engineering, University of Western
Macedonia Kozani GR-50100, GREECE.

Dr. NAZRI BIN MOHD NAWI
Software Engineering Department, Faculty of Science Computer
Information Technology, Universiti Tun Hussein Onn MALAYSIA.

Dr. JOHN BABALOLA OLADOSU

Ladoke Akintola University of Technology, Ogbomoso, NIGERIA.

Dr. ABDELLAH IDRISSE

Department of Computer Science, Faculty of Science, Mohammed V University - Agdal, Rabat, MOROCCO.

Dr. AMIT CHAUDHRY

University Institute of Engineering and Technology, Panjab University, Sector-25, Chandigarh, INDIA.

Dr. ASHRAF IMAM

Aligarh Muslim University, Aligarh INDIA.

Dr. MUHAMMAD UMER KHAN

Department of Mechatronics, Faculty of Engineering, Air University, Islamabad. PAKISTAN.

Dr. MOHAMMED ALI HUSSAIN

Dept. of Computer Science & Engineering, Sri Sai Madhavi Institute of Science & Technology, Mallampudi, Rajahmundry, A.P, INDIA.

Dr. KHALID USMANI

Department of Computer Science, Arid Agriculture University, Rawalpindi, PAKISTAN.

Dr. GUFRAN AHAMD ANSARI

Qassim University, College of Computer Science, Ministry of Higher Education, Qassim University, Kingdom of SAUDI ARABIA.

Dr. DEFA HU

School of Information, Hunan University of Commerce, Changsha 410205, Hunan, P. R. of CHINA.

Dr. IMRAN BABAR

Faculty of Computing, FAST University, Faisalabad Campus PAKISTAN.

Dr. GHADI Abderrahim

Computer Sciences Department, Faculty of Sciences and Techniques, Ancienne Route de l'Aéroport, Km 10, Ziaten. BP 416. Tanger - MOROCCO.

Dr. HAMID ALI ABED AL-ASADI

Head of Computer Science Department, Faculty of Education for Pure Science, Basra University, Basra, IRAQ.

Dr. SAEED ULLAH

Department of Computer Sciecne, Federal Urdu University of Arts Sciecne and Technology, Islamabad. PAKSITAN.

Dr. MOHAMMAD A. M. ABUSHARIAH

Deputy Dean, King Abdullah II School of Information Technology, The University of Jordan. JORDAN.

Dr. POUYA DERAKSHAN BARJOEI

Head of Telecommunication and Engineering, Department of Computer and Electrical Engineering, Islamic Azad University, IRAN.

Dr. MOHD. MUNTJIR

Departments of Computer Science and Information Technology, College of Computers and Information Technology, Taif University, Kingdom of SAUDIA ARABIA.

Dr. AWS ZUHEER YONIS

Communication Engineering Department, College of Electronics

Engineering at Ninevah University, Mosul, IRAQ.

Dr. ASLINA BAHARUM

Software Engineering program, Faculty of Computing and Informatics, Universiti Malaysia Sabah (UMS), 88400 Kota Kinabalu, Sabah, MALAYSIA.

Dr. NOEMI SCARPATO

Professor, Telematic University (Università Telematica San Raffaele Roma), Rome ITALY.

Dr. JABER JEMAI

Associate Professor in Information System at Prince Sultan University, Kingdom of SAUDIA ARABIA.

Dr. BELAL AL KHATEEB

Head of Computer Science Department in the College of Computer Science and Information Technology, University of Anbar, Ramadi, IRAQ.

Dr. FRANCO FRATTOLILLO

Department of Engineering University of Sannio Benevento ITALY.

Dr. MOUTAZ ALAZAB

Assistant Professor in the department of Cybersecurity - Faculty of Artificial intelligence, BAU, Al-Salt, JORDAN.

Dr. HUGO FERNANDO AZEVEDO BARBOSA

Assistant Professor in Informatics Engineering, Lusofona University of Porto, PORTUGAL.

SHAHZAD A. KHAN (Linguist)

Lecturer English IMCB, FDE Islamabad.

(Managing Editor/Linguist & In-charge Publishing)

Journal of Theoretical and Applied Information Technology

****You can join the elite panel of JATIT as member technical editorial board if you hold a PhD in computing and have a strong research problem and have considerable publication in high impact journals. Please drop your CV at [mailjatit @ gmail.com](mailto:mailjatit@gmail.com). Members lists and requests are reviewed in regional advisory panel meetings held quarterly each year.**

CORRECTION POSITION OF COORDINATES FROM DATA GPS LOGGER IN GOOGLE MAPS BY USING LAGRANGE INTERPOLATION METHOD

¹NGAKAN MADE SATRYA WIBAWA, ²I MADE SUKARSA and ³I KETUT ADI PURNAWAN

¹²³Department of Information Technology, Udayana University, Bali, Indonesia

E-mail: ¹ngakansatrya@gmail.com, ²e_arsa@ymail.com, ³dosenadi@yahoo.com

ABSTRACT

Development of navigation technologies increase rapidly. People need a GPS to indicate a location or street. The accuracy of the GPS position is often less precise. This problem is used as a discussion of issues in the design of GIS to fix the GPS coordinates to the coordinates of the path using interpolation polinom lagrange method. This study uses PL/SQL to MySQL engine to perform the calculations haversine formula and interpolation polinom lagrange. Coordinates improvements value obtained from the results of these calculations.

Keywords: *GPS, GIS, PL/SQL, Correction Coordinate, Interpolation Polinom Lagrange*

1. INTRODUCTION

Kaplan and Christopher define navigation as the science of getting the objects from one place to another [6]. GPS provide accuracy, the position of the object directly, and track in realtime. Hoffmann – Wellenhof et al describe the GPS satellites placed at least five to eight satellites revolve around the earth and can be accessed at any time [3]. In accord with statement by Yun Young-Sun, GPS has many technical and economical benefits for virtually all industries and nowadays many companies are developing GPS enabled applications and navigation system [14].

The popularity of GIS application in mapping numerical information from satellite imagery as to assist for collecting relevant data of landmark in traveling and directions. Google maps is one of the popular digital map that provides many advantages for the research of GIS. Problem of accuracy GPS coordinates will be used as data samples to the next process with GIS application.

GPS has several sources of error that can degrade the level of accuracy from few meters to tens of meters [9]. These error sources are Ionospheric, Atmospheric delays, Satellite and Receiver Clock Errors, Multipath, Dilution of Precision, Selective Availability (S/A) and Anti Spoofing (A-S) as described by Kaplan and Christopher [6].

This paper discusses the GPS coordinates of the error correction in using interpolation

polynomial lagrange method to coordinate road. Error correction has been performed by several researchers, but different in the data processing, the tools used, and the lack of provision for the integration of digital maps. This study utilize the Google API, including digital map and geographic coordinates. Data GPS coordinates (latitude and longitude) were recorded by using a GPS Logger application. This data is stored in a database and processed through lagrange polynomial interpolation calculation by using PL/SQL. Correction results displayed in the form of a comparison of data the GPS coordinates, the coordinates of the reference, and the interpolation results on Google maps.

2. THEORITICAL BACKGROUND

2.1 GPS (Global Positioning System)

GPS is the abbreviation of Global Positioning System that is known as a system for determining the position and global navigation using satellite. The GPS system was originally presented in the 1960s, several U.S. government organizations including the Department of Defense (DOD), the National Aeronautics and Space Administration (NASA) and the Department of Transportaion (DOT), which are interested in developing a satellite system to determine the 3-dimensional position. Surname GPS system that is NAVSTAR GPS (Navigation Satellite Timing and Ranging Global Positioning System).

The satellite constellation is the set of satellite that orbit within a few point as to provide the signal

coverage and data messages to the receiver equipment. Kaplan and Christopher described GPS has three different segments i.e. satellite constellation, ground-control or monitoring network, and user receiving equipment [6]. The GPS constellation which served as a reference points on the earth there are 24 GPS satellites in 6 orbital planes. Each orbit is occupied by 4 satellites with the different intervals. The monitoring network segment is a part of controlling and monitoring every movement of the GPS satellite and signal integrity. The user receiver equipment segment, there is receiver that receive signals from GPS satellite. Receiver signals consist of antenna receiving signal, filtering, amplification circuit, and composition of the tracking signal.

Determining position of GPS is done by measuring the distance simultaneously to multiple satellites. Determination of the coordinates of a point on the earth, the receiver requires at least four satellites with good signal. In general, the position or coordinates obtained datum is referenced to World Geodetic System 1984 or shortened by WGS'84 [7].

GPS positioning process consist of two methods : the method of absolute and relative methods. This study uses a GPS logger application with absolute method because it only used for navigational purposes. Some errors in GPS positioning, namely : multipath effects, the effects of selective availability (SA), anti-spoofing, the inaccurate position due to receiver settings are not in accordance with the parameters of GPS. In general, the performance of GPS accuracy depends on the level of measurement noise on the navigation system i.e. measurement accuracy of pseudorange and carrier measurements [12].

2.2 GIS (Geographical Information System)

Jean define is a computer based system that is used to capture the image so it can be stored, manipulated, and analyzed for the research of geographic information [5].

Hurvitz stated that GIS have different functionality from other analytical environment is rooted in the spatially explicit nature of the data [4]. Geographic data is divided into four types : points, lines, polygons (or areas), and surfaces. Each data's type has a particular dimensionality and are associated with a set of descriptive. GIS contains DBMS (database management system) which is used to store descriptive information about points, lines, and areas.

The development of internet makes web-based GIS application services is growing rapidly. The

advantage of using the Maps APIs in GIS is able to display and process the data between raster and vectors data. One of the applications that are used in this study is Google Maps API.

2.3 Google Map

Google Maps API is source code interface that provide program library and service for generating a map over the internet [13]. Google Maps API provides the key API to request spatial data about geographic information and process the map as an object in any external website. Google Maps API also allows to customize the map controls including navigation slide bar, polyline, marker, button to switch between map or aerial and hybrid views.

Google has released and develop a mapping based on web. Google as a leader in the product development map with Google Maps provide a slick, highly responsively visual, detail street and aerial imagery data. Google Maps API has many advantages including the availability of extensive data coverage, open specification, ease of implementation, dynamic navigation, and querying capability. Google maps api are mainly based on Javascript and eXtensible Markup Language (XML), it enables customize the map interface into existing web sites.

2.4 Polynomial Lagrange Interpolation

Numerical analysis is the branch of mathematics and computer science that proposes, develops, analyzes and applies numerical method for solving all kind problems of mathematical [1]. The interpolation formula are derived which find the interpolated value of a function in terms of certain of its values [11]. Polinom lagrange interpolasi is known as popular method because it uses the function in the form of polynom. If the unknown function is $f(x)$ and census data is n then :

$$f(x) = \sum_{i=1}^n y_i L_i(x) \dots\dots\dots (15)$$

Then the calculation of polynomial lagrange interpolation together with two points $(x_0, f(x_0))$ and $(x_1, f(x_1))$ as follows:

$$p_1(x) = y_0 \frac{(x-x_1)}{(x_0-x_1)} + y_1 \frac{(x-x_0)}{(x_1-x_0)} \dots\dots\dots (15)$$

Can be simplified in a similar manner :

$$p_1(x) = a_0 L_0(x) + a_1 L_1(x) \dots\dots\dots (15)$$

Where $a_0 = y_0$, $a_1 = y_1$ is longitude form coordinate road. While $L_0 = \frac{(x-x_1)}{(x_0-x_1)}$, $L_1 = \frac{(x-x_0)}{(x_1-x_0)}$,

where x = latitude from coordinate GPS and x_0, x_1 = latitude from coordinate road.

2.5 Haversine Formula

The haversine formula is an equation commonly used in navigation which gives great circle distance between two different points on the surface of the sphere (Earth) based on longitudes and latitudes [10].

Then the calculation using haversine formula can be modeled as follows :

$$d = 2r \sin^{-1} \left(\sqrt{\sin^2 \left(\frac{\theta_1 - \theta_2}{2} \right) + \cos(\phi_1) \cos(\phi_2) \sin^2 \left(\frac{\varphi_1 - \varphi_2}{2} \right)} \right) \dots (8)$$

These are explanations of haversine formula as below :

d = distance between two points.

r = radius of the earth.

θ = latitude

φ = longitude

Haversine function on the above arguments are in radian. Simplify haversine equation in the form of degrees will make the process faster calculations on database.

Translation to SQL statement in degree :

$$\text{SQRT}(\text{POW}(69.1 * \text{ABS}(\text{latitude} - \text{lat_obj}), 2) + \text{POW}(69.1 * \text{ABS}(\text{long_obj} - \text{longitude}) * \text{COS}(\text{latitude} / 57.3), 2)) \dots (2)$$

3. SYSTEM OVERVIEW

This section explain about the overview of the error correction, the result calculation of haversine and polynomial lagrange interpolation.

3.1 System Overview

System overview of the process in making the determination of the position of the error correction can be modeled as shown in figure 1.




Figure 1 : System overview

There is general description of the system that is useful to describe the flow system of error correction. These are explanations of system overview on figure 1 as follows :

- 1) GPS logger request data coordinates location to the radio tower.
- 2) Radio tower request the location signal to the GPS satellite.
- 3) GPS satellite broadcast radio signal providing location, status, and precise time to the radio tower.
- 4) The radio tower invert signal location to GPS logger.
- 5) GPS Logger application record data coordinate from the radio tower.
- 6) User use coordinate data from GPS logger to analyze with the coordinate data from the Administrator.
- 7) Analysis results request polyline and marker from Google Map Server.
- 8) Web GIS will display result to the user and they can observe the correction points.

3.2 Design of System

The design of the application made by the flowchart concept. This flowchart describes the process in detail after the user input data coordinates.




Figure 2 : Flowchart of system

First, the user can choose to be a registered user or regular user. Then the user input the data coordinates of GPS logger and select multiple coordinate points within radius. Select multiple points within radius by using haversine formula. Further, interpolation process to calculate the coordinates of the GPS logger, reference, and many points in radius. Interpolation formula is used as follows : $p_1(x) = a_0L_0(x) + a_1L_1(x)$ where latitude (X) and longitude (Y). Interpolation results in the form of a new longitude because interpolation can only process one of the coordinates (longitude only or latitude only).

The following polynomial lagrange interpolation formula in the form of PL/SQL syntax that is divided into 3 function :

1) Function L

```

loop_:LOOP
  FETCH kur_koor INTO id_, lat_,
  long_;

```

```

  IF done = 1 OR i = lim THEN
    LEAVE loop_;
  END IF;

```

```

  IF id_ <> curr_point THEN
    SET numb_atas = numb_atas *
    (lat_obj - lat_);
  ELSE
    SET numb_bawah = bawah(lat_,
    curr_point, lat_obj,
    long_obj, lim);
  END IF;

  SET i = i + 1;
END LOOP;

```

2) Function Bottom

```

loop_:LOOP
  FETCH kur_koor INTO id_, lat_,
  long_;

```

```

  IF done = 1 OR i = lim THEN
    LEAVE loop_;
  END IF;

```

```

  IF id_ <> curr_point THEN
    SET numb_bawah = numb_bawah
    *
    (lat_point - lat_);
  END IF;

  SET i = i + 1;
END LOOP;

```

3) Function Interpolation

```

loop_:LOOP
  FETCH kur_koor INTO id_, lat_,
  long_;

```

```

  IF done = 1 OR i = lim THEN
    LEAVE loop_;
  END IF;

```

```

  SET new_long_obj = new_long_obj
  + (long_ * l(lat_obj,
  long_obj, id_, lim));
  IF ISNULL(new_long_obj) THEN
    SET trace = CONCAT(trace,
    'NULL', ' ');

```

```

  ELSE
    SET trace = CONCAT(trace,
    l(lat_obj, long_obj,
    id_, lim), ' ');
  END IF;

```

```

  SET i = i + 1;
END LOOP;

```

4. IMPLEMENTATION

Experimental phase was taken to measure the accuracy level of the calculation of the coordinates from the GPS coordinates. System of error correction coordinates was built with software such as PHP, AJAX, Javascript, MySQL and hardware such as Intel Core i5 Processor, 2 GB RAM, and Windows 7 OS.

4.1 The Experiment Results

GPS coordinate data that is used around the area of Denpasar and Badung. Data GPS that stored i.e. latitude and longitude by using the assistance GPS logger application. After inputting coordinate data and select the amount of coordinate used, then it processed through haversine formula and polinomial lagrange interpolation is done in MySQL. Google Map is used to display the comparison of data GPS coordinates, road, and results of the interpolation.

For example, if the GPS coordinate data as below :

Table 1 : GPS Coordinate

Latitude	Longitude
-8.779101	115.177334

If the user select the amount of coordinates is 3 points, then the following works will be calculated by haversine formula to find the point closest to the GPS coordinates and it uses only 3 coordinate road.

Table 2 : Reference Road Coordinate

latitude	Longitude
-8.7791615097	115.1776599884
-8.7783518599	115.1776707172
-8.7782284325	115.1776814461

After the specified coordinates reference data have been determined by haversine formula and calculate by interpolation method as follows :

Table 3 : Interpolation Result

latitude	longitude	Longitude interpolasi
-8.779101	115.177334	115.17765740396067

Correction result display on Google Map as figure 3:



Figure 3 : Correction result on Google Maps

4.2 Discussion

The purpose of developing system of error correction GPS coordinates is to correct errors of the coordinate GPS of the coordinate road.

System of error correction coordinates built with the programming language including PHP, AJAX, Javascript, and MySQL.

The first step is to input the data GPS coordinates and select the amount of coordinates. After that, it processes by using haversine formula and polynomial lagrange interpolation which is done in MySQL database. Starts from calculating the closest distance with haversine formula until the calculation with polynomial lagrange interpolation.

The correction result shows that the value of interpolation coordinate almost close to the value of coordinates road. However, the results of the correction depends on several factors including the amount of selected coordinates and the exact location of coordinate road.

5. CONCLUSION

In this paper, we discuss the error correction of data GPS coordinate by using the polynomial lagrange interpolation. We try to compare the data GPS coordinates with coordinate road. We founded that there are some the conclusions of the test result as follows :

- 1) The calculation of the radius of the generate value much beyond the capacity of the data type range that are used as a result reveal null values.
- 2) If we use a lot of radius point then it is required road points with high density of coordinate road.



- 3) The optimum radius point that can be used between range 1 and 30 points.

The accuracy of calculation it is due to several factors, including the location coordinates of complete road points and the amount of points within radius. So that can minimize errors in the calculation of interpolation.

REFERENCES:

- [1] Alfio Q., Riccardo S., and Fausto S., Numerical Mathematics, New York : Springe-Verlage, 2000.
- [2] Dan Moore, "Calculate distances between coordinates efficiently in oracle", [Online] October 2009. Available at : <http://stackoverflow.com/questions/1591323/how-to-calculate-distances-between-coordinates-efficiently-in-oracle>.
- [3] Hoffman-Wellenhof, H. Licteneegger, J. Collins, "Global Positioning Systems : Theory & Practice, 4th Edition", New York/Berlin: Springer-Verlag Wien,1998.
- [4] P. Hurvitz, "The GIS Spatial Data Model", The University of Washington Spatial Technology, [Online] 2004. Available at : http://courses.washington.edu/gis250/lessons/introduction_gis/spatial_data_model.html.
- [5] Jean and Claude Thill, "Geographic Information Systems in Transportation Research", New York : Pergamon, 2000.
- [6] Kaplan E (ed), "Understanding GPS: Principles and Applications", 1st edition (Boston: Artech House), 1996.
- [7] Michael E. W., "Harvest Tracking and Navigation With GPS", Canada, 1999.
- [8] Nitin R. Chopde, Mangesh K. Nichat. "Landmark Based Shortest Path Detection by Using A* and Haversine Formula", G.H. Raisoni College of Engineering and Management, International Journal of Innovative Research in Computer and Communication Engineering, Vol. 1, issue 2, April 2013
- [9] Pratap Misra and Per Enge, "Global Positioning System Signals, Measurements, and Performance", 1st edition (Massachusetts:Ganga-Jamuna Press), 2001.
- [10] Samuel Idowu, Nadeem Bari. "A Development Framework for Smart City", Lul a University of Technology International journal of Computer Application, vol 6, 9 Nov 2012.
- [11] Srivastava, R.B and Purushottam Kumar Srivastava, "Comparison of Lagrange's and Newton's interpolating polynomials", Journal of Experimental Sciences, Vol. 3, No. 1, pp 01-04, 2012.
- [12] S.S.Riaz Ahamed. "The Effect Of Global Positioning System For Reliable Positioning, Navigation and Timing Services". Department of Computer Applications, Vol 4, No 9, 2005.
- [13] T Edwin Chow. "The Potential of Maps APIs for Internet GIS Applications", Department of earth and resource science university of michigan, Vol 12, No 2, pp 179-191, 2008.
- [14] Yun Young-sun, Park Sung-min and Kee Chang-don, "Test of GBAS Integrity Monitoring System Using GPS Simulator," Wuhan University Journal of Natural Science, Vol. 8, No. 2B, pp 697-704, 2003.
- [15] Keesling James, "Lagrange Interpolating Polynomials", [online]. Available at : www.math.ufl.edu/~kees/LagrangePolynomials.pdf