

FACTORS RELATED OF CHANGING FIRST LEVEL HEALTH FACILITIES (FKTP) ON JKN MANDIRI PARTICIPANTS IN DENPASAR CITY

Iwan Abdi Suandana¹, Putu Ayu Indrayathi², Pande Putu Januraga^{3*}

¹Iwan Abdi Suandana, School of Public Health, Medical Faculty, Udayana University

²Putu Ayu Indrayathi, School of Public Health, Medical Faculty, Udayana University

³Pande Putu Januraga, School of Public Health, Medical Faculty, Udayana University

Email : pa_indrayathi@unud.ac.id

Abstract

The desire to change first health level facilities (FKTP) is a form of patient's dissatisfaction and will be a step on the loyalty of patients in utilizing health services. In 2016, there was a significant increased of participants JKN Mandiri who made the change FKTP on June is 453 peoples to become 504 peoples on November in 2016. Based on the results of interviews with the BPJS Kesehatan Cabang Denpasar obtained data regarding the complaints of JKN participants in Denpasar City to change of FKTP include services that are less friendly, less informative, long queues, rejection of patients outside the region and unserved patients for treatment outside working hours FKTP. The purpose of this study is to know factors related of changing FKTP on JKN Mandiri participants in Denpasar City. The design of this study used cross sectional analytic with sample size is 108 peoples. The sampling technique was done by consecutive sampling at several FKTP in cooperation with BPJS Kesehatan in Denpasar City. The data was collected by questioner and analyzed by univariate, bivariate (*chi-square*) and multivariate (*regression logistic*). Based on the result of multivariate, there was a correlation between facility availability ($p = 0,005, 95\% \text{ CI} = 2,05-56,57$), waiting time ($p = 0,000, 95\% \text{ CI} = 5,98-233,68$), distance ($p = 0,000, 95\% \text{ CI} = 3,66-51,92$), moved the domicile ($p = 0,022, 95\% \text{ CI} = 1,34-43,01$) and service of doctor ($p=0,005, 95\% \text{ CI}=2,02-55,32$) with the intention to change FKTP. For the FKTP side, it is better to improve the quality of service provided to JKN participants and for BPJS Kesehatan can increase the assessment of FKTP which cooperate with it in terms of FKTP credentialing and re-credentialing.

Keyword : Factors, Changing, FKTP, JKN Mandiri, Denpasar

INTRODUCTION

The First Level Health Facility (FKTP) is a facility that provides primary health care for JKN participants, including Puskesmas, GP's Practice, Dentist Practice, Primary Clinic, and Class D Pratama Hospital. First-Level Health Facility (FKTP) will be used by JKN participants to conduct first-time treatment¹. BPJS Kesehatan also facilitates for JKN participants who wish to change FKTP after 3 months registered in previous health facility. Based on the data of BPJS Kesehatan Denpasar participants who perform changing FKTP dominated by JKN Mandiri participants. According to data from BPJS Kesehatan Denpasar, there was a significant increase of participants JKN Mandiri in Denpasar City who made the changing FKTP in June as many as 453 people and become 504 people in November 2016. This situation indicates lack of quality of service quality provide by FKTP that impact on satisfaction of JKN patient. Based on interviews with BPJS Kesehatan Denpasar, JKN participants in the Denpasar City mostly complained about services that are less friendly, less informative, long queues, rejection of patients outside the region and unserved patients for treatment outside FKTP working hours. This is an indication of problems in satisfaction of JKN patient². Research by Widiastuti (2015) also states that there is a significant relationship on the type of FKTP selected with the satisfaction of JKN patients. Dissatisfaction of patients or communities in using health services tends to lead to non-compliance of patients in treatment activities, not following

advice and moving to other FKTP³. From preliminary study by interviewing 50 JKN participants who had been changing FKTP in BPJS Kesehatan Denpasar found that there are several factors influencing FKTP movement such as: distance to FKTP, doctor service at FKTP, facility available at FKTP, service time in FKTP, waiting time to get service at FKTP, and moved residential. The purpose of this study is to determine the factors associated with the desire to change FKTP on participants JKN Mandiri in Denpasar City.

METHODS

This study is a quantitative analytical study with *cross-sectional* design. The study was conducted for 3 months (March-May 2017) in Denpasar City. This study using non probability sampling with consecutive sampling technique. Sample were selected from 8 FKTP with 108 samples. The inclusion criteria for study participant included JKN Mandiri participants registered in FKTP BPJS Kesehatan Denpasar and at least have been visit FKTP for 1 time, aged at least 17 years old, and able to communicate and willing to be a respondent. This research had been approved by the ethical commission with ethical clearance number 834/UN.14.2/KEP/2017 from Research Ethical Commission Udayana University Medicine Faculty/Sanglah Hospital, Denpasar

RESULTS

Characteristic description of respondents based on the desire to change FKTP is done by using crosstab between dependent variable (age, education, and occupation) with the desire to change FKTP. The results can be seen in the table below:

Table 1. Distribution of Desire to Change First Level Health Facility based on Characteristics of Respondent (Age, Education, and Work) (n=108)

Variable	Desire to change				Total
	Want to change	Percentage (%)	Do not change	Percentage (%)	
Age					
>37 years	15	31,25%	33	68,75%	48 (100%)
17-37 years	25	41,67%	35	58,33%	60 (100%)
Education					
Low(<SMA)	7	33,33%	14	66,67 %	21 (100%)
High (≥SMA)	33	37,93 %	54	62,07%	87 (100%)
Occupation					
Not Working	14	33,33%	28	66,67%	42 (100%)
Working	26	39,39%	40	60,61%	66 (100%)
Total	40	37,04%	68	62,96%	108 (100%)

Based on table 1, more respondents want to change FKTP dominantly by respondents aged 17-37 have high education (≥SMA) and working participant with percentage 41,67%, 37,93%, and 39.39 respectively

Table 2. Factors related with desire to change FKTP on JKN Mandiri participants in Denpasar City (n=108)

Variable	Desire to change FKTP		Crude OR	95% CI	p value
	Want to change (%)	Not want to change (%)			
Facility Availability					
Incomplete	8 (66,67 %)	4 (33,33%)	4	1,96-19,2	<0,05
Complete	32 (33,33%)	64 (66,67%)	Ref		

Doctor's services					
Bad	10 (71,43%)	4 (28,57%)	5,33	1,37-24,8	<0,01
Good	30 (31,91%)	64 (68,09%)	<i>Ref</i>		
Service time					
Not suitable	5 (83,33%)	1 (16,67%)	2,42	1,55-13,78	<0,05
Appropriate	35 (34,31%)	67 (65,69%)	<i>Ref</i>		
Waiting time					
Old	13 (86,67%)	2 (13,33%)	15,88	3,1-150,2	<0,001
Not long	27 (29,03%)	66 (70,97%)	<i>Ref</i>		
Distance					
Far	20 (74,07%)	7 (25,93%)	8,71	2,93-27,5	<0,001
Near	20 (24,69%)	61 (89,71%)	<i>Ref</i>		
Moved Residential					
Ever	11 (78,57%)	3 (21,43%)	8,21	1,93-48,2	<0,001
Never	29 (30,85%)	65 (69,15%)	<i>Ref</i>		

Based on table 2 above, bivariate test results using *chi-square* there are 6 variables that have a significant relationship ($p < 0.05$) with changing FKTP namely facilities availability, doctor services, service time, waiting time, distance, and moved residential.

Table 3. Final Model Result of Logistic Regression Test from Relationship Availability of Facility, Doctor Service, Waiting Time, Distance, and Moved Domicile with the Desire to Change FKTP on JKN Mandiri participants in Denpasar City (n=108)

No	Variable	95% CI			P value
		<i>Adjusted OR</i>	Lower	Upper	
1	Facilities Availability	10,78	2,05	56,57	<0,01
2	Doctor service	10,56	2,02	55,32	<0,01
3	Waiting time	37,38	5,98	233,68	<0,001
4	Distance	13,78	3,66	51,92	<0,001
5	Moved residential	7,60	1,34	43,01	<0,05

Based on table 3 above, multivariate test with logistic regression showed that five variables which be significantly related to the desire of change FKTP are availability of facilities, doctor services, waiting time, distance and move residential. The waiting time variable has a chance of 37.38 times higher than the other variable with Adjusted OR = 37,38 (95% CI: 5,98-233,68). Statistically predictable waiting time is the most dominant variable affecting the willingness of changing FKTP on JKN Mandiri participants in Denpasar City

DISCUSSION

Description of desire to change FKTP based on socio demography

Result of research indicate as much (37,04%) respondent want to change FKTP and based on socio demographic characteristics, respondents who want to change FKTP more dominately by respondents aged 17-37 years (41,67%), high education (\geq SMA) and working participant with percentage respectively (37,93%) and (39.39%). This is in accordance with research conducted by Indriyani (2013) which states adult age (> 40 years) tend to be more loyal in utilizing health services in a health service. Conversely, younger people (≤ 40 years old) tend to be less loyal to utilize health services and want to seek new health services⁵. The results of this study are also in line with research Khudhori (2012) which states the higher the client's education, the level of satisfaction and loyalty in utilizing health services is lower and tend to want to seek new health services⁶. This is well-founded, because usually a low-educated client does not have too high expectations of others. Conversely, a highly educated person usually has high expectations of others over him. While in terms of work, clients who are already working tend to be less loyal to health services provided and want to seek new health services. This is because they already have income and they tend to prefer to seek health services more optimal without taking into account the cost⁶

Relationship of facility availability with the desire to change FKTP

Research indicate that there is significant correlation between facility availability in FKTP with the desire to change FKTP. This research finding in line with research by Indryani (2013) which states the facility availability has a relationship with the loyalty of antenatal care patients at Puri Cinere Hospital⁵. Incomplete availability of facilities in a health service, so the fewer people who want to use health services and have an impact with the desire to seek other health services. In JKN era the application of credentialing at present it is quite difficult, especially in meeting the requirements indicators as they relate to large budgets in completing tools and facilities, while the amount of capitation they will receive is not worth the cost they spend to provide it complete facilities, so some FKTP that do not have complete facilities this makes some respondents prefer to move to FKTP which has complete facilities⁷

Relationship of doctor's service with the desire to change FKTP

From result of research indicate there is significant relation between doctor service at FKTP with desire to change FKTP. The results of this study are in line with Hanif's (2011) theories which states that doctors have a very important role in the process of health services both treatment, healing, and health care of patients, so the better the patient's perception of the doctor, the better the impact on patient health and utilization of health services⁸. Where the better the doctor's service then the possibility of patients will return again to treatment at the doctor, and the less good the doctor's service then the possibility of patients want to find a new doctor⁸.

Relationship of service time with the desire to change FKTP

Research indicate that there is no relation between service time in FKTP with the desire to change FKTP. Further research conducted by Dinik (2008) also shows that there is correlation between suitability of service schedule in Bringin District Health Center of Semarang with level of patient satisfaction which progressively according to service schedule hence more high level of patient satisfaction⁹. This level of patient satisfaction will lead to loyalty of patients in utilizing health services, where patients will tend to reuse health services if the promised service schedule in accordance with their working time and if the service schedule is less appropriate then patients prefer to seek new health services⁹. Based on the result of the research, the service time in FKTP shows that 94.44% is in accordance with the work schedule. This means that most participants are satisfied with the service time in FKTP. This is why there is no relationship between time of service with the desire to change FKTP

Relationship of waiting time with the desire to change FKTP

Research indicate that waiting time has significant relationship and become the most dominant factor with the desire to change FKTP. The results of this study are in line with research conducted by Bambang (2011) which mentions the waiting time has a strong relationship with patient family satisfaction and impact on loyalty of patients in utilizing health services¹⁰. Based on the research (Aisyah, 2015) mentioned that long waiting time in health service is due to high number of patient visits, lack of officers at registration booths, limited space available, and also due to lack of medical personnel (doctors, midwives, nurses) to service patients who come¹¹. Where if the waiting time to get medical services quickly then patients will tend to re-utilize the FKTP and if the time to get medical services too long, then the patient will likely have a desire to seek new health services.

Relationship distance with the desire to change FKTP

The results of the analysis test also show that there is a significant relationship between the distance to FKTP with the desire to change FKTP. The results of this study are in line with research conducted Meylanie (2010) which states that there is a significant relationship between access to health facilities with the selection of health service¹². The farther the geographical location of the FKTP is from residence, the more respondents who want to change FKTP and the closer the geographical location of the FKTP from the residence causes the fewer who want to change FKTP. This is what makes distance is one of the important considerations in choosing health services and the emergence of the desire to change FKTP if the health facilities far from residence.

Relationship moved residential with the desire to change FKTP

The result of the analysis also shows that there is a significant correlation between moving residential with the desire to change FKTP. At the time of the survey, it was because there were still many participants of JKN Mandiri in Denpasar City where their residence was not permanent, they moved due to work, lecture / school, and had a new house. This is what makes them have the desire to get health care insurance in a new residence. Based on research Rahmad (2016) also shows patients who have moved residence tend to choose health services close to his new residence¹³. This is what causes a significant relationship between ever moved residential with the desire to change FKTP on the participants JKN Mandiri in the city of Denpasar.

CONCLUSIONS

There is a relationship between the availability of facilities at FKTP, waiting time at FKTP, distance to FKTP, doctor service at FKTP and move domicile with the desire to move FKTP and there is no relation between time of service at FKTP with the desire to change FKTP on JKN Mandiri participants in Denpasar City.

REFERENCES

1. BPJS Kesehatan. 2014. *Alur Kerja BPJS Kesehatan tahun 2014*. Jakarta
2. BPJS Kesehatan Cabang Denpasar. (2016). *Laporan Mapping, Kunjungan, Rujuk Kantor Cabang Denpasar Bulan November Tahun 2016*. Denpasar
3. Widiastuti, M. (2015). *Hubungan Jenis Fasilitas Kesehatan Tingkat Pertama, Status Kepesertaan Dan Karakteristik Sosio Demografis Dengan Tingkat Kepuasan Pasien JKN Di Kota Denpasar*. Program Pascasarjana Universitas Udayana Denpasar 2015.
4. Pohan, I., 2006. *Jaminan Mutu Layanan Kesehatan Dasar-dasar Pengertian dan Penerapan*, Jakarta: EG
5. Indryani. (2013). *Analisis Faktor- faktor yang Berhubungan Dengan Utilisasi Pelayanan Rumah Sakit Puri Cinere Tahun 2013*. Fakultas Kedokteran Islam Negeri Syarif Hidayatullah Jakarta
6. Khudhori. 2012. *Analisis Faktor- faktor yang Mempengaruhi Keputusan Pemilihan Tempat Persalinan Poliklinik Kandungan dan Kebidanan Rumah Sakit IMC Bintaro Tahun 2012*. Tesis Program Studi Kesehatan Masyarakat. Universitas Indonesia
7. Ulandari, LPS & Indrayathi, PA. (2016). The Implementation of Credentialing for First-Level Health Facilities of Badan Penyelenggara Jaminan Sosial (BPJS) Kesehatan Denpasar. Public Health of Udayana University. Kemas:Jurnal Kesehatan Masyarakat 12(1)(2016) ,150-156
8. Hanif, Mufriady Akmal . 2011. *Analisis Tingkat Permintaan Pasien terhadap Pelayanan Rawat Jalan di Poliklinik Penyakit Dalam RSUP Dr. M Djamil Padang Tahun 2011*. Tesis. Program Studi Kajian Rumah Sakit. Prgram Pasca Sarjana , Fakultas Kesehatan Masyarakat , Universitas Indonesia
9. Dinik, Retnowati. (2008). *Kualitas Pelayanan Kesehatan di Puskesmas Bringin Kabupaten Semarang*. Skripsi. Fakultas Ilmu Sosial dan Ilmu Politik. Universitas Diponegoro
10. Bambang. 2011. *Kepuasan Keluarga Pasien Terhadap Waktu Tunggu Pelayanan di Instalasi Rawat Jalan Rumah Sakit Jiwa Propinsi Kalimantan Barat*. Tesis. Uiniveritas Gadjah Mada
11. Aisyah. 2015. *Pengaruh Waktu tunggu Pasien di Tempat Pendaftaran Pasien Rawat Jalan Terhadap Tingkat Kepuasan Pasien di RSUD DR.R.M Djoelham Binjal Tahun 2016*. Akademi Perkam Medik dan Informasi Kesehatan (Apikes) Imelda Meda
12. Meylani,d.r. (2010). *Faktor-Faktor yang Berhubungan dengan Pemilihan Tenaga Penolong Persalinan di Wilayah Kerja Puskesmas Jelbuk Kabupaten Jember Tahun 2010*. Skripsi. FKM UI
13. Rahmad, Ridwan. (2016). *Faktor Yang Berhubungan Dengan Pemilihan Fasilitas Kesehatan Tingkat Pertama Pada Peserta Non Penerima Bantuan Iuran di Wilayah Kerja Puskesmas Lima Kaum I Kabupaten Tanah Datar Tahun 2016*. Diploma thesis, Universitas Andalas