


SEXUALLY TRANSMITTED INFECTIONS

STI & HIV World
Congress 2015
Abstracts



The official journal of
the World STI & HIV
Congress 2015

Listen to the STI
podcasts at [http://
podcasts.bmj.com/sti/](http://podcasts.bmj.com/sti/)


Read the STI blog at
<http://blogs.bmj.com/sti/>

Follow @STI_BMJ on
twitter and join the
debate on sexual
health care

sti.bmj.com



BMJ



Sexually Transmitted Infections publishes original research, descriptive epidemiology, evidence-based reviews and comment on the clinical, public health, translational, sociological and laboratory aspects of sexual health from around the world

Editor

Jackie Cassell (UK)

Deputy Editors

David Lewis (Australia)

Nicola Low (Switzerland)

BASHH Senior Editor

Keith Radcliffe (UK)

BASHH Column Editor

Daniel Richardson (UK)

Clinical Round Up Editors

Lewis Haddow (UK)

Sophie Herbert (UK)

Associate Editors

Sevgi Aral (USA)

Stefan Baral (USA)

Gary Brook (UK)

Richard De Visser (UK)

Khalil Ghanem (USA)

David Goldmeier (UK)

Patti Gravitt (USA)

Sarah Hawkes (UK)

Gwenda Hughes (UK)

Cathy Ison (UK)

Rudolf Mak (Belgium)

Cath Mercer (UK)

Alec Miners (UK)

Jonathan Ross (UK)

Jennifer Smith (USA)

Joseph Tucker (USA)

Katy Turner (UK)

Richard White (UK)

William Wong (China)

Statistical Advisor

Andrew Copas (UK)

Education Editor

Sarah Edwards (UK)

Social Media Editors

Stuart Flanagan (UK)

Sean Cassidy (UK)

Blogmaster

Leslie Goode (UK)

Guidelines for Authors

Full instructions are available online at <http://sti.bmj.com/fora>. Articles must be submitted electronically. Authors retain copyright but are required to grant STI an exclusive licence to publish
Impact factor 3.078

Editorial Board

I Ahmed (UK)

G Bell (UK)

C Bradshaw (Australia)

E Carlin (UK)

X S Chen (China)

J Clarke (UK)

D Cooper (Australia)

R Crosby (USA)

G Dallabetta (USA)

K Day (UK)

S Delany-Moretwe (South Africa)

V Delpech (UK)

H Duarte (Colombia)

C Evans (UK)

K Fenton (USA)

E Foley (UK)

P Garcia (Peru)

P Greenhouse (UK)

B Goorney (UK)

G Hart (UK)

A Hartley (UK)

J Hocking (Australia)

K Holmes (USA)

P Horner (UK)

J Imrie (South Africa)

M Kretzschmar (The Netherlands)

C Lacey (UK)

J Lee (UK)

D Mabey (UK)

J Marrazzo (USA)

P Mayaud (UK)

I McGowan (USA)

J McSorley (UK)

A Mindel (Australia)

G Neilsen (Thailand)

N Nwokolo (UK)

J Paavonen (Helsinki)

S Phiri (Malawi)

J Pritchard (UK)

D Richardson (UK)

D Roberts-Jones (UK)

A Robinson (UK)

J Ross (UK)

L Sarnier (UK)

L Sathia (UK)

A Scouler (UK)

M Stanley (UK)

A Stary (USA)

A Tang (UK)

M Temmerman (Belgium)

M Unemo (Sweden)

A Wald (USA)

H Ward (UK)

J Weber (UK)

J Wilson (UK)

M Wood (UK)

J Zenilman (USA)

Affiliations and endorsements

- An official journal of the **British Association of Sexual Health and HIV (BASHH)**, the UK's leading professional organisation dealing with all aspects of Sexual Health Care. www.bashh.org
- An official journal of the **Australasian Chapter of Sexual Health Medicine (ACHSHM)**, part of the Royal Australasian College of Physicians. www.racp.edu.au
- Endorsed by the **Medical Foundation for HIV & Sexual Health (MEDFASH)**, an independent UK charity dedicated to quality in HIV and sexual healthcare. www.medfash.org.uk

Subscription Information

Sexually Transmitted Infections is published eight times per year; subscribers have access to all supplements

Institutional Rates 2015

Print

£47; US\$931; €644

Online

Site licences are priced on FTE basis and allow access by the whole institution.

Personal Rates 2015

Print (includes online access at no additional cost)

£216; US\$422; €292

Online only

£109; US\$213; €148

ISSN 1368 4973 (print); 1472-3263 (online)

Personal print or online only and institutional print subscriptions may be purchased online at <http://group.bmj.com/group/subscriptions> (payment by Visa/Mastercard only)

Residents of some EC countries must pay VAT, for details, call us or visit www.bmj.com/subscriptions/vatandpaymentinfo.dtl

Contact Details

Editorial Office

Sexually Transmitted Infections

BMJ

BMA House, Tavistock Square

London WC1H 9JR, UK

E: sti@bmj.com

Production Editor

Kelly Stroud

E: production.sti@bmj.com

Permissions

<http://group.bmj.com/permissions>

Supplement Enquiries

T: +44 (0)20 7383 6795

E: journals@bmj.com

Subscriptions

T: +44 (0)20 7111 1105

E: support@bmj.com

<http://sti.bmj.com/site/help/index.xhtml>

Display Advertising Sales

Mark Moran (Sales Manager)

T: +44 (0)20 7383 6783

E: mmoran@bmj.com

<http://group.bmj.com/advertising>

Online Advertising Sales

Marc Clifford (Sales Manager)

T: +44 (0)20 7383 6161

E: mclifford@bmj.com

<http://group.bmj.com/advertising>

Author Reprints

Reprint Administrator

T: +44 (0)15 0251 5161

E: admin.reprints@bmj.com

Display & Online Advertising Sales (USA)

Jim Cunningham

T: +1 201 767 4170

E: jcunningham@cunnasso.com

Commercial Reprints (except USA & Canada)

Nadia Gurney-Randall

T: +44 (0)20 8445 5825

M: +44 (0)7866 262344

E: ngurneyrandall@bmj.com

Commercial Reprints (USA & Canada)

Ray Thibodeau

T: +1 267 895 1758

M: +1 215 933 8484

E: ray.thibodeau@contentednet.com

BASHH

Chester House, 68 Chestergate, Macclesfield

SK11 6DY, UK

T: +44 (0)16 2566 4523

E: admin@bashh.org

www.bashh.org

Methods The GTF game design competition consisted of participants firstly submitting their ideas for an online sexual health education game using a game design document. Following this, willing participants took part in a two-day game jam which resulted in the game prototype for Infection Protection chosen as the winning entry. The winning team were contracted to build the game suitable for both a desktop and a mobile device as well as to finalise it to a standard that was suitable for the GTF website.

Results Infection Protection educates young people on the risk of STI transmission from having unsafe sex with multiple partners. It also demonstrates the simplicity of getting tested and treated for STIs. The game uses a simulation of characters engaging in sex with each other. The user is required to check characters for medical updates, provide safe sex packs, and send characters to the clinic for testing and treatment.

Conclusion The GTF game design competition involved young people in the planning and development of a peer-based resource, and was an innovative way to educate participants on sexual health. Further conclusions on the effectiveness of the game will be presented when preliminary evaluation data is obtained from Google Analytics and the target audience.

Disclosure of interest statement This paper is supported and funded by the WA Department of Health.

P03.23 HUMAN IMMUNODEFICIENCY VIRUS INFECTION RISK BEHAVIOURS AMONG SCHOOL STUDENTS IN THE CAPITAL CITY OF A FAMOUS TRAVEL DESTINATION, BALI

NW Septarini*, Igbk Raharja. *School of Public Health, Faculty of Medicine, Udayana University, Bali, Indonesia*

10.1136/sextrans-2015-052270.251

Introduction HIV (Human Immunodeficiency Virus) infection remains an international health problem. Denpasar, a capital city of one of a famous tourist destination in the world was contributing the largest of AIDS cases in Bali-Indonesia. Based on the Bali Provincial AIDS Commission report, most of PLWHA in Bali are between age 20–29 years old. It can be assumed that the HIV infection occurred 5–10 years before which is around 10–15 years old of age when they were in junior/senior high school. This study aimed to recognise the HIV risk behaviours among school students in Denpasar.

Methods This is cross-sectional descriptive survey involving 297 junior high school students which are selected using cluster random sampling method. This survey took place in two state junior high schools and six private junior high schools in Denpasar. Data were collected using self administered anonymous questionnaire.

Results The results found 1% students have ever used illicit drugs, 1% students have ever injected drugs, 6% students have pierced, and 0.7% students have permanent tattoo. The result also implied that 5% of students had sexual intercourse and only 61.5% who always using condom and 15% never use condom. Overall, 10% of respondents were practicing HIV risk behaviours. The other findings shows males have odd 9.297 of doing sexual intercourse than women ($p = 0.001$). Interestingly, it also found that students who used injection drugs have odd 10.808

for sexual intercourse than students who never used injection drugs ($p = 0.019$).

Conclusion It can be conclude that even only 10% of risk behaviour on HIV infection, it seem that all relevant parties need to pay attention including for junior high school students as one of the vulnerable groups on the spread of HIV and AIDS. The attention could be by performing effective promotive and preventive actions.

Disclosure of interest statement There is nothing to be declared.

P03.24 EFFECT OF MEDIA ON ADOLESCENT GIRLS "HIV/AIDS COMPREHENSIVE KNOWLEDGE" AND "STIGMATISING ATTITUDE" TOWARDS PEOPLE LIVING WITH HIV/AIDS

Deepak Sharma*. *Post Graduate Institute of Medical Education and Research, School of Public Health, Chandigarh, India*

10.1136/sextrans-2015-052270.252

Background Mass media is an important educational tool for increasing knowledge of HIV and fighting stigmatisation associated with it in the society.

Objectives This study aimed at assessing the "comprehensive knowledge" on HIV/AIDS among the adolescent girls in India. The second objective was to understand how mass media influences knowledge and stigmatising attitude towards people living with HIV/AIDS.

Methods Secondary data analysis was done for the data available from the third round of the National Family Health Survey, India (NFHS-3). "Comprehensive knowledge" was defined as an individual who knew a) using a condom and having just one uninfected partner limits the risk of getting AIDS b) a healthy looking person can have AIDS and rejected the two most common misconceptions about AIDS transmission (transmission by mosquito bites and by sharing food). Stigmatising attitude included questions like, "if a teacher has HIV/AIDS but not showing it should he/she be allowed to continue teaching in school?". The sources included broadcast media (TV programs/radio), print media (newspapers/display hoardings) and interpersonal communication (family/friends/health workers/community leaders). All data were analysed using the Statistical Package for the Social Sciences software. Descriptive statistics was used to examine the study subject's exposure to mass media, knowledge about HIV/AIDS and its sources of knowledge. In the process of analysis, a logistic regression model was used to observe how mass media influences knowledge and stigmatising attitude towards people living with HIV/AIDS after controlling for confounders.

Results 64.3% had ever heard about HIV/AIDS. The most common source of information about HIV/AIDS were broadcast media (88.5%) followed by interpersonal communication (50.7%) and print media (33%). Exposure to sources of information was significantly related to HIV knowledge (OR = 4.5 for broadcast group; OR = 2.9 for print media and OR = 1.2 for interpersonal group) and less stigmatising attitude towards PLWHA (OR = 1.8 for broadcast group; OR = 1.2 for print media and OR = 0.9 for interpersonal group).

Conclusions Exposure to mass media can help increase HIV/AIDS knowledge of adolescent girls. Enhancing its penetration in the public can be an important strategy in disseminating HIV/AIDS knowledge and reducing HIV related discrimination in India.